

AluWeld

CP Cases AluWeld flight cases are tougher, lighter and more resilient than traditional designs in laminated plywood

Quality-built cases in the Traditional Design

High-tensile aluminium is lighter than plywood, yet AluWeld cases meet the stringent US ATA300 Cat1 standard of a minimum 100 return air trips.

AluWeld resists the most arduous of climatic and environmental conditions. Seams and joints are robotically welded, making cases weatherproof to IP54.

The inter-locking lid/body seal (with integral neoprene rubber gasket) protect contents against rain, dirt, dust and other environmental hazards.


Each AluWeld is manufactured individually to meet your exact requirement. Some of the options available include:



Options

Other label options include:

- Surface mounted, engraved, etched, stencilled or screen-printed labels
- Swing labels, standard information/ warning signs, bar coding or even using your own label are also available and enhance your corporate identity







Maximum Protection

- Choice of recessed or surface-mounted locks, catches and handles
- Stacking options include:
 - Impact resistant nylon corners, which locate with each other for stacking and extra protection
 - Interlocking lid indents for static stacking and storage
- Low, profile, recessed 70 mm wheels and retractable handle (reinforced internally with stainless steel) can be attached to make cases with heavy contents easy and quick to move
- Choice of surface finishes: anodised or powder-coated RAL paint colours
- Padlockable catches

AluWeld cases are Made-to-Measure

The construction lends itself to intricate designs and applications, and is in use across a wide range of industries, including defence, broadcast and medical.



CP Cases Limited, Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom Tel +44 (0)20 8568 1881 | Fax +44 (0)20 8568 1141 | Email info@cpcases.com | www.cpcases.com V10.11 Updated Nov 2010 E&OE. All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.

