



Trio Clip-on Light

- 24V

The best lamp on any music stand anywhere! The Trio gives more light, of better quality and with greater control than any other music stand light on the planet. The Trio is the face of a complete music stand lighting system which provides every conceivable option for control and power delivery.

- 32 state of the art low voltage LEDs give exceptionally bright and even illumination over the entire score.
- Very slim housing does not obstruct the musician's view of the conductor.
- Colour temperature of the light can be varied between 2700K and 4000K.
- Precision light guides ensure excellent cut off of the light resulting in minimal light spillage.
- LEDs are virtually indestructible and never wear out, so you will never again have to change a bulb in the middle of a performance.
- Reduced power consumption and consequent reduction in air conditioning load means using this light is environmentally friendly.
- Over the lifetime of the product lower electricity bills and the absence of bulb replacements costs will repay your initial investment.
- Runs off a 24V power supply for electrical safety.
- Can be powered by batteries, or by mains power using the appropriate PSU – see power supplies.
- When powered by batteries, the light progressively warns the user when the battery is running low, giving plenty of time to change the battery without plunging the musician into darkness.
- When powered by the PSU, lights can be connected to the PSU in a star configuration or in a daisychain.
- Brightness and colour temperature can be controlled by the musician (using the thumb wheels on the lamp), or by the lighting desk.
- Control by the lighting desk has priority over control by the musician.
- Control by the lighting desk can be by Powerline Control (when powered by our DMX PSU) or by the optional radio receiver (when powered by battery).
- Under Powerline Control, the optional Zone Control System enables lights to be assigned to 8 different groups each with its own DMX address for brightness and colour temperature.
- With the optional Radio receiver, each light can be assigned its own unique DMX address for colour and brightness.
- A coiled cable from the lamp to ground level enables the stand height to be adjusted without detaching the cable from its hook at the base of the stand.



73Q03

